ORDINANCE NO. 970424-HH

AN ORDINANCE REZONING AND CHANGING THE ZONING MAP ACCOMPANYING CHAPTER 13-2 OF THE CITY CODE AS FOLLOWS:

TRACT 1: 6.57 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405 AND THE WILLIAM B. HARRISON SURVEY NO. 86, ABSTRACT NO. 382, IN TRAVIS COUNTY, TEXAS FROM "GO" GENERAL OFFICE DISTRICT TO "GR" COMMUNITY COMMERCIAL DISTRICT,

TRACT 2: 8.214 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405 AND THE WILLIAM B. HARRISON SURVEY NO. 86, ABSTRACT NO. 382, IN TRAVIS COUNTY, TEXAS FROM "GO" GENERAL OFFICE DISTRICT AND "CS" COMMERCIAL SERVICES DISTRICT TO "GR" COMMUNITY COMMERCIAL DISTRICT,

TRACT 3: 14.59 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405, IN TRAVIS COUNTY, TEXAS FROM "GR" COMMUNITY COMMERCIAL DISTRICT TO "LI" LIMITED INDUSTRIAL SERVICES DISTRICT,

TRACT 4: 15.17 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405 AND THE L. FRITZ SURVEY NO. 291, ABSTRACT NO. 280, IN TRAVIS COUNTY, TEXAS FROM "LI" LIMITED INDUSTRIAL SERVICES DISTRICT TO "GO" GENERAL OFFICE DISTRICT,

TRACT 5: 8.663 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405, IN TRAVIS COUNTY, TEXAS FROM "GO" GENERAL OFFICE DISTRICT, "GR" COMMUNITY COMMERCIAL DISTRICT, "CS" COMMERCIAL SERVICES DISTRICT, AND "LI" LIMITED INDUSTRIAL SERVICES DISTRICT TO "RR" RURAL RESIDENCE DISTRICT,

TRACT 6: 4.48 ACRE TRACT OF LAND OUT OF THE JIM M. SWISHER SURVEY NO. 32, ABSTRACT NO. 2405, IN TRAVIS COUNTY, TEXAS FROM "GR" COMMUNITY COMMERCIAL DISTRICT TO "GO" GENERAL OFFICE DISTRICT,

LOCALLY KNOWN AS THE PROPERTY LOCATED AT NORTH IH-35 SERVICE ROAD NORTHBOUND AND EAST YAGER LANE, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

PART 1. The Zoning Map established by Chapter 13-2-22 of the City Code is amended to change the respective base zoning districts on the property described in File C14-96-0154, as follows:

Tract 1: From "GO" General Office district to "GR" Community Commercial district.

6.57 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, and the William B. Harrison Survey No. 86, Abstract No. 382, the tract of land being more particularly described by metes and bounds in Exhibit "A" incorporated into this ordinance,

Tract 2: From "GO" General Office district and "CS" Commercial Services district to "GR" Community Commercial district.

8.214 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, and the William B. Harrison Survey No. 86, Abstract No. 382, the tract of land being more particularly described by metes and bounds in Exhibit "B" incorporated into this ordinance,

Tract 3: From "GR" Community Commercial district to "LI" Limited Industrial Services district.

14.59 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, the tract of land being more particularly described by metes and bounds in Exhibit "C" incorporated into this ordinance,

Tract 4: From "LI" Limited Industrial Services district to "GO" General Office district.

15.17 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, and the L. Fritz Survey No. 291, Abstract No. 280, the tract of land being more particularly described by metes and bounds in Exhibit "D" incorporated into this ordinance,

Tract 5: From "GO" General Office district, "GR" Community Commercial district, "CS" Commercial Services district and "LI" Limited Industrial Services to "RR" Rural Residence district.

8.663 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, the tract of land being more particularly described by metes and bounds in Exhibit "E" incorporated into this ordinance,

Tract 6: From "GR" Community Commercial district to "GO" General Office district.

4.48 acre tract of land out of the John M. Swisher Survey No. 32, Abstract No. 2405, the tract of land being more particularly described by metes and bounds in Exhibit "F" incorporated into this ordinance,

locally known as the property located at North IH-35 Service Road Northbound and East Yager Lane, in the City of Austin, Travis County, Texas, and as more particularly identified in the map attached as Exhibit "G".

PART 2. The Council waives the requirements of Sections 2-2-3, 2-2-5, and 2-2-7 of the City Code for this ordinance.

PART 3. This ordinance takes effect on May 5, 1997.

PASSED AND APPROVED

April 24

Bruce Todd

Mayor

APPROVED (M)

Andrew Martin

City Attorney

ATTEST: James E. Aldridge

City Clerk

A DESCRIPTION OF A 6.570 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32, ABSTRACT No. 2405, AND THE WILLIAM B. HARRISON SURVEY No. 86, ABSTRACT No. 382, BOTH IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS, SAID 6.570 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a Texas Department of Transportation Type I monument found at the south end of a curve, on the east right-of-way line of Interstate Highway 35 (width varies), being a point of curvature in the west line of said 218.594 acre tract:

THENCE with the arc of a curve to the right, a distance of 450.92 feet through a central angle of 7° 03' 06", a radius of 3663.77 feet, and a chord which bears N 18° 15' 34" W, a distance of 450.63 feet to a ½-inch iron rod set for the northwest corner of the tract described herein;

THENCE departing said east right-of-way line of IH 35, over and across said 218.594 acre tract, the following four (4) courses and distances:

- 1. N 86° 43' 23" E, a distance of 561.41 feet to a ½-inch iron rod set,
- 2. S 06° 43' 35" E, a distance of 301.96 feet to a 1/2-inch iron rod set,
- 3. S 08° 04' 54" W, a distance of 102.24 feet to a 1/2-inch iron rod set, and
- 4. S 40° 25' 19" W, a distance of 457.98 feet to a 1/2-inch iron rod set on said east right-of-way line of IH 35, from which point a Type I monument found bears, S 21° 40' 52" E, a distance of 206.54 feet:

THENCE with said east right-of-way line of IH 35, the following three (3) courses and distances:

- N 21° 40' 52" W, a distance of 68.45 feet to a 1/2-inch iron rod found for angle point,
- 2. N 36° 02' 54" W, a distance of 102.36 feet to a Type I monument found for angle point, and



Quentin Corp. 6.570 Acres Proposed GR Zoning FN 0469 (BDN) November 12, 1996 SAM, Inc. Job No. 96119-22

3. N 21° 57' 40" W, a distance of 154.58 feet to the **POINT OF BEGINNING** and containing 6.570 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS


That I, Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during November, 1996 under my direction and supervision.


WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 18th day of November, 1996 A.D.

SURVEYING AND MAPPING, Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

Registered Professional Land Surveyor





SAM.

SURVEYING AND MAPPING INC.

4028 Capital of Texas Highway, Sc. Bradle Oaks Prefessional Pleza, Sulto 128 Austin, Texas 78704 (\$12) 447-0578 Fax: (\$12) 328-3028 Page 3 of 3

SKETCH TO ACCOMPANY FIELD NOTE No. 0469

A DESCRIPTION OF A 8.214 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32, ABSTRACT No. 2405, AND THE WILLIAM B. HARRISON SURVEY No. 86, ABSTRACT No. 382, BOTH IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS, SAID 8.214 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a Texas Department of Transportation Type I monument found at the south end of a curve in the east right-of-way line of Interstate Highway 35 (width varies), being a point of curvature in the west line of said 218.594 acre tract;

THENCE with said east right-of-way line of IH 35, a distance of 1614.04 feet through a central angle of 25° 14' 28", having a radius of 3663.77 feet, and a chord which bears N 09° 09' 53" W, a distance of 1601.01 feet to a Type I monument found;

THENCE N 88° 15' 26" E, departing said east right-of-way line of IH 35, over and across said 218.594 acre tract, a distance of 677.18 feet to a 1/2-inch iron rod set for the **POINT OF BEGINNING** and the northwest corner of the tract described herein:

THENCE continuing across said 218.594 acre tract, the following eleven (11) courses and distances:

- 1. S 61° 59' 03" E, a distance of 505.01 feet to a 1/2-inch iron rod set,
- 2. S 09° 44' 22" E, a distance of 125.61 feet to a 1/2-inch iron rod set,
- 3. S 11° 31' 00" W a distance of 187.74 feet to a ½-inch iron rod set,
- 4. S 02° 52' 51" E, a distance of 81.36 feet to a 1/2-inch iron rod set,
- 5. S 35° 52' 57" W, a distance of 395.63 feet to a 1/2-inch iron rod set,
- 6. S 34° 37' 55" E, a distance of 7.52 feet to a ½-inch iron rod set,
- 7. S 60° 39' 08" W, a distance of 8.13 feet to a ½-inch iron rod set,
- 8. N 43° 44' 48" W, a distance of 196.60 feet to a 1/2-inch iron rod set,
- 9. N 19° 06' 08" W, a distance of 286.00 feet to a 1/2-inch iron rod set,
- 10. with the arc of a curve to the left (non-tangent to last course), a distance of 160.40 feet through a central angle of 9° 22' 41", having a radius of 980.00 feet, and a chord which bears N 70° 32' 43" W, a distance of 160.23 feet to a 1/2-inch iron rod set, and



11. N 20° 17' 18" E, a distance of 523.80 feet to the **POINT OF BEGINNING** and containing 8.214 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

That I, Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during November, 1996 under my direction and supervision.


WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 18th day of November, 1996 A.D.

SURVEYING AND MAPPING, Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

Registered Professional Land Surveyor

MICHAEL R. HATCH



SAM INC.

4028 Cepital of Texas Highway, Sc. Sradio Oaks Professional Plaza, Suito 126 Austin, Texas 78704 (\$12) 447-0875 Pass: (\$12) 328-3029

Page 3 of 3

SKETCH TO ACCOMPANY FIELD NOTE No. 0470

A DESCRIPTION OF A 14.59 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32, ABSTRACT No. 2405, IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS; SAID 14.59 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a Texas Department of Transportation Type I monument found at the intersection of the east right-of-way line of Interstate Highway 35 (width varies) with the existing north right-of-way line of Yager Lane (width varies), being a southwesterly corner of said 218.594 acre tract;

THENCE with the said north right-of-way line of Yager Lane, the following two (2) courses and distances:

- 1. S 81° 42′ 53" E, a distance of 248.69 feet to a Type I monument found for an angle point, and
- 2. S 43° 51' 49" E, a distance of 31.19 feet to a 1/2-inch iron rod set for the **POINT OF BEGINNING** and the most western southwest corner of the tract described herein:

THENCE departing said north right-of-way line of Yager Lane, over and across said 218.594 acre tract, the following thirteen (13) courses and distances:

- 1. N 12° 39' 38" E, a distance of 481.24 feet to a 1/2-inch iron rod set,
- 2. N 40° 25' 19" E, a distance of 57.58 feet to a ½-inch iron rod set.
- 3. N 08° 04′ 54" E, a distance of 186.22 feet to a ½-inch iron rod set.
- N 06° 43' 35" W, a distance of 261.55 feet to a ½-inch iron rod set.
- 5. N 60° 39' 08" E, a distance of 158.25 feet to a ½-inch iron rod set.
- 6. S 43° 44' 49" E, a distance of 214.91 feet to a ½-inch iron rod set,
- 7. S 84° 14' 03" E, a distance of 438.00 feet to a 1/2-inch iron rod set,
- 8. with the arc of a curve to the left, a distance of 80.11 feet through a central angle of 8° 30' 00", having a radius of 540.00 feet, and a chord which bears, S 11° 14' 18" E, a distance of 277.88 feet to a ½-inch iron rod set,
- 9. S 15° 29' 18" E, a distance of 492.38 feet to a ½-inch iron rod set,
- 10. with the arc of a curve to the right, a distance of 18.86 feet through a central angle of 2° 00' 04", having a radius of 540.00 feet and a chord which bears, S 14° 29' 16" E, a distance of 18.86 feet to a ½-inch iron rod set,

EXHIBIT "C"

- 11. N 86° 11' 50" W, a distance of 519.98 feet to a 1/2-inch iron rod set,
- 12. S 04° 44' 41" W, a distance of 354.79 feet to a 1/2-inch iron rod set, and
- 13. N 85° 10′ 03″ W, a distance of 449.90 feet to a ½-inch iron rod set on said north right-of-way line of Yager Lane, from which point a Type I monument found bears, S 43° 51′ 49″ E, a distance of 137.99 feet;

THENCE N 43° 51' 49" W, with said north right-of-way line of Yager Lane, a distance of 23.10 feet to the POINT OF BEGINNING and containing 14.59 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS


That I, Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during April, 1997 under my direction and supervision.

WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 22nd day of April, 1997 A.D.

SURVEYING AND MAPPING, Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

Registered Professional Land Surveyor



URVEYING AND MAPPING INC

4028 Capital of Texas Highway, So. Bredle Oaks Professional Plaza, Suite 125 Austin, Texas 78704 (512) 447-0575

SKETCH TO ACCOMPANY FIELD NOTE No. 0471R

A DESCRIPTION OF A 15.17 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32, ABSTRACT No. 2405, AND THE L. FRITZ SURVEY No. 291, ABSTRACT No. 280, BOTH IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS; SAID 15.17 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a 3/4-inch iron pipe found for the northeast corner of said 218.594 acre tract;

THENCE S 32° 37′ 13″ W, with an easterly line of said 218.594 acre tract, a distance of 1867.91 feet to a ½-inch iron rod set, from which point a 3/4-inch iron pipe found for the beginning of a curve in said east line bears, S 32° 37′ 13″ W, a distance of 488.42 feet;

THENCE N 85° 14' 03" W, departing the east line of said 218.594 acre tract, over and across said 218.594 acre tract, a distance of 325.56 feet to a 1/2-inch iron rod set for the POINT OF BEGINNING and most easterly northeast corner of the tract described herein;

THENCE continuing over and across said 218.594 acre tract, the following nine (9) courses and distances:

- 1. S 04° 45′ 57" W. a distance of 414.98 feet to a ½-inch iron rod set.
- 2. N 85° 15' 19" W, a distance of 930.00 feet to a 1/2-inch iron rod set,
- 3. N 04° 46′ 06" E, a distance of 430.77 feet to a ½-inch iron rod set,
- with the arc of a curve to the left, (non-tangent to last course), a distance of 278.88 feet through a central angle of 16° 49' 11", having a radius of 950.00 feet, and a chord which bears, N 08° 35' 57" W, a distance of 277.88 feet to a 1/2-inch iron rod set,
- 5. N 72° 59' 28" E, a distance of 183.73 feet to a ½-inch iron rod set,
- 6. with the arc of a curve to the right, a distance of 314.00 feet through a central angle of 44° 58' 40", having a radius of 400.00 feet and a chord which bears, S 84° 31' 12" E, a distance of 306.00 feet to a ½-inch iron rod set,
- 7. S 62° 01' 52" E, a distance of 113.91 feet to a 1/2-inch iron rod set,
- with the arc of a curve to the left, a distance of 189.91 feet through a central angle of 27° 12' 08", having a radius of 400.00 feet and a chord which bears, S 75° 37' 56" E, a distance of 188.13 feet, and

Page 1 of 3



FN 0472R (BDN) April 22, 1997 SAM, Inc. Job No. 97058-21

9. S 34° 56' 20" E, a distance of 356.00 feet to **POINT OF BEGINNING** and containing 15.17 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS


That I, Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during April, 1997 under my direction and supervision.

WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 22nd day of April, 1997 A.D.

SURVEYING AND MAPPING, Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

Registered Professional Land Surveyor



A DESCRIPTION OF A 8.663 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32, ABSTRACT No. 2405, IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS, SAID 8.663 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a Texas Department of Transportation Type I monument found at the intersection of the east right-of-way line of Interstate Highway 35 (width varies) with the existing north right-of-way line of Yager Lane (width varies), being a southwesterly corner of said 218.594 acre tract and the most southerly corner hereof;

THENCE N 21° 40′ 52" W, with said east right-of-way line of IH 35, a distance of 206.54 feet to a ½-inch iron rod set for the most western south corner of the tract described herein;

THENCE departing said east right-of-way of IH 35, over and across said 218.594 acre tract, the following twenty (20) courses and distances:

- N 40° 25′ 19" E, a distance of 457.98 feet to a ½-inch iron rod set,
- 2. N 08° 04' 54" E, a distance of 102.24 feet to a 1/2-inch iron rod set,
- 3. N 06° 43' 35" W, a distance of 368.89 feet to a ½-inch iron rod set,
- 4. N 60° 39' 08" E, a distance of 248.36 feet to a 1/2-inch iron rod set,
- 5. N 34° 37' 55" W, a distance of 7.52 feet to a ½-inch iron rod set,
- N 35° 52' 57" E, a distance of 395.63 feet to a ½-inch iron rod set,
- 7. N 02° 52′ 51" W, a distance of 81.36 feet to a ½-inch iron rod set,
- 8. N 11° 31' 00" E, a distance of 187.74 feet to a ½-inch iron rod set,
- 9. N 09° 44' 22" W, a distance of 125.61 feet to a 1/2-inch iron rod set,
- 10. S 61° 59' 03" E, a distance of 199.65 feet to a 1/2-inch iron rod set,
- 11. S 23° 10' 33" W, a distance of 71.03 feet to a ½-inch iron rod set,
- 12. S 08° 45' 57" W, a distance of 280.00 feet to a 1/2-inch iron rod set,
- 13. S 33° 45' 57" W, a distance of 145.00 feet to a 1/2-inch iron rod set,
- 14. S 63° 31' 03" E, a distance of 72.77 feet to a 1/2-inch iron rod set,
- S 35° 52' 57" W, a distance of 152.34 feet to a ½-inch iron rod set,

Page 1 of 3

- 16. S 34° 37′ 55" E, a distance of 85.48 feet to a ½-inch iron rod set,
- 17. S 60° 39' 08" W, a distance of 334.38 feet to a 1/2-inch iron rod set,
- 18. S 06° 43′ 35" E, a distance of 261.55 feet to a 1/2-inch iron rod set,
- 19. S 08° 04' 54" W, a distance of 186.22 feet to a ½-inch iron rod set, and
- 20. S 40° 25' 19" W, a distance of 601.64 feet to a ½-inch iron rod set on the said north right-of-way line of Yager Lane;

THENCE N 81° 42′ 53" W, with said north right-of-way line of Parmer Lane, a distance of 20.62 feet to the **POINT OF BEGINNING** and containing 8.663 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

That I, Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during November, 1996 under my direction and supervision.


WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 18th day of November, 1996 A.D.

SURVEYING AND MAPPING, Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

Registered Professional Land Surveyor

MICHAEL R. HATCH



SAM...

4029 Cepital of Texas Mehway, Sa. Sredio Oaks Professional Pieza, Sulta 128 Austin, Texas 78704 [512] 447-0578 Fax: 1512) 326-3039 Page 3 of 3

SKETCH TO ACCOMPANY FIELD NOTE No. 0468

A DESCRIPTION OF A 4.48 ACRE TRACT OF LAND LOCATED IN THE JOHN M. SWISHER SURVEY No. 32. ABSTRACT No. 2405, IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 218.594 ACRE TRACT OF LAND DESCRIBED IN A DEED TO QUENTIN CORP. RECORDED IN VOLUME 12034, PAGE 2083 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS; SAID 4.48 ACRE TRACT, AS DEPICTED ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a Texas Department of Transportation Type I monument found at the intersection of the east right-ofway line of Interstate Highway 35 (width varies) with the existing north right-of-way line of Yager Lane (width varies). being a southwesterly corner of said 218.594 acre tract:

THENCE with the said north right-of-way line of Yager Lane, the following three (3) courses and distances:

- 1. S 81° 42' 53" E. a distance of 248.69 feet to a Type I monument found for an angle point, and
- 2. S 43° 51' 49" E, a distance of 54.21 feet to a 1/2-inch iron rod set, and
- 3. S 85° 10' 03" E, departing said north right-of-way line of Yager Lane, a distance of 449.90 feet to a 1/2inch iron rod set for the POINT OF BEGINNING of the tract described herein:

THENCE over and across said 218.594 acre tract, the following five (5) courses and distances:

- 1. N 04° 44' 41" E, a distance of 354.79 feet to a 1/2-inch iron rod set,
- 2. S 86° 11' 50" E, a distance of 519.98 feet to a ½-inch iron rod set,
- 3. with the arc of a curve to the right, a distance of 172.03 feet through a central angle of 18° 15' 11", having a radius of 540.00 feet and a chord which bears, S 04° 21' 39" E, a distance of 171.30 feet to a ½-inch iron rod set.
- 4. S 04° 46' 06" W, a distance of 195.03 feet to a 1/2-inch iron rod set, and
- 5. N 85° 10' 03" W, a distance of 546.94 feet to the POINT OF BEGINNING and containing 4.48 acres of land, more or less.

BASIS OF BEARINGS: Two (2) 3/4" iron pipes found for an east line of the 218.594 acre tract. Record bearing of S 32° 37' 10" W was held, record distance of 2356.28 feet was found to be 2356.33 feet.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS


That I. Michael R. Hatcher, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground during April, 1997 under my direction and supervision.

WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 22nd day of April, 199

SURVEYING AND MAPPING. Inc. 4029 Capital Of Texas Hwy., So. Suite 125 Austin, Texas 78704

Michael R. Hatcher

"Registered Professional Land Startey Br. HATCHER



SAM.

SURVEYING AND MAPPING INC.

4028 Capital of Texas Highway, Sc. Breele Ooks Professional Plaza, Suite 126 Auetin, Texas 78704 (812) 447-0878 Fast (812) 336-3028

Page 2 of 2

SKETCH TO ACCOMPANY FIELD NOTE No. 0576



Austin American-Statesman

PO#: 970424HH Ad ID#: 58M700400

Acct#: 5124992499

Account Name: CITY CLERKS OFFICE

CITY CLERKS OFFICE PO BOX 1088 AUSTIN.TX

78767

AFFIDAVIT OF PUBLICATION

THE STATE OF TEXAS COUNTY OF TRAVIS

Before me, the undersigned authority, a Notary Public in and for the County of Travis, State of Texas, on this day personally appeared:

SHARON JANAK

Classified Advertising Agent of the Austin American-Statesman, a daily newspaper published in said County and State that is generally circulated in Travis, Hays, Burnet and Williamson Counties, who being duly sworn by me, states that the attached advertisement was published in said newspaper on the following dates, to wit:

First Published:

5/12/97

Last Published:

5/12/97

Times Published:

1

Classification:

9980

Lines:

59

Cost:

\$154.58

and that the attached is a true copy of said advertisement.

SWORN AND SUBSCRIBED TO BEFORE ME, this the

2 day of

May 1997

BILLIE JENEEN SWAIL
NOTARY PUBLIC
State of Texas
Comm. Exp. 02-20-2000

Notary Public in and for TRAVIS COUNTY, TEXAS

305 South Congress Ave., P.O. Box 670, Austin, Texas 78767-0670 512-445-3541